




The State of New Hampshire
Department of Environmental Services



Michael P. Nolin
Commissioner

June 22, 2006

Byron L. Young
Safety & Environmental Management
US Army Engineer Research & Development Center
CEERD-SO
72 Lyme Road
Hanover, New Hampshire 03755

LETTER OF COMPLIANCE
For
LETTER OF DEFICIENCY
No. WD WWEB/C 06-008


Dear Mr. Young:

The Department of Environmental Services, Water Division, Wastewater Engineering Bureau (DES) reviewed the actions taken by the US Army Engineer Research & Development Center CEERD-SO (CEERD-SO) in their June 14, 2006 response to Letter of Deficiency No. WD WWEB/C 06-008. DES determined that the issues addressed in the Letter of Deficiency have been resolved in a manner consistent with the Water Division regulations and NPDES permit requirements. CEERD-SO should continue with the actions listed in the June 14, 2006 correspondence from CEERD-SO. At this time, no further response is necessary. Therefore, DES hereby issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status of CEERD-SO, and that this letter does not provide relief against any existing or future violations.

If you have any questions regarding this matter, please contact Roy D. Gilbreth at 271-1494. Thank you for your cooperation.

Sincerely,

COPY


John R. Bush, P.E.
Administrator
Wastewater Engineering Bureau

cc:

Joy Hilton, USEPA Water Technical Unit
Gretchen Hamel, Administrator, Legal Unit, DES
Roy Gilbreth, Environmental Inspector, WWEB
Margaret Bastien, P.E., Compliance Coordinator, WWEB
DES WD WWEB/File

Certified Mail RRR: 7099 3400 0018 1294 3738

P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095

Telephone: (603) 271-3503 • Fax: (603) 271-2982 • TDD Access: Relay NH 1-800-735-2964

DES Web site: www.des.nh.gov